



EMC
EN: 61326



Model CT-30

Size(HxWxD): 92mm x 47mm x 92mm

Weight: 116g

Accessories:

Two "AAA" batteries and clamshell

CT-230 Circuit Breaker Finder

Features

Analogue Circuit Breaker Finder
Voltage Range 120/240V
For Use On Energized Lines
LED Display
Visual/Audible indication
Function identifies Specific Circuit Breakers or Fuses With A Flashing LED Light and audible tone
Plug-In Transmitter Allows One Person Test
Identify And Troubleshoot Energized Outlets Or in incandescent light fixture
Includes Transmitter, Receiver, Battery, and Instructions.




EMC
EN: 61326

Model CT-240A
ReceiverModel CT-240B
Transmitter

Features

Local continuity checking - is accomplished by a bright flashing LED and loud pulsating beeper
Remote continuity - with the use of the remote probe, it does not tie-up two people when identifying and labeling long distance wire/cable runs
Flashing remote probe - Two leads, bi-color (red/green) LED probe allows a single user to identify up to three wires or cables at a time for correct labeling with only one trip to the other end location - cuts down on multiple trips back and forth
Polarity verification - Drives a 20mA DC current pulse through the wires or cables under test to the bi-color remote probe; This enables the technician to identify each of the wires under test at the other end of the cable run and eliminates the possibility of false high impedance readings
Lightweight/Pocketsize - clips on and hangs from the cable(s) under test without falling off

Model CT-230A
ReceiverModel CT-230B
Transmitter

CT-240 Digital Circuit Breaker Finder

Features

Digital Circuit Breaker Finder
Voltage Range 120/240V
For Use On Energized Lines
LED Display
Visual/Audible indication
Function identifies Specific Circuit Breakers or Fuses With A Flashing LED Light and audible tone
Identify And Troubleshoot Energized Outlets Or in incandescent light fixture
Includes Transmitter, Receiver, Battery, and Instructions.

Size(HxWxD): 192mm x 64mm x 42mm

Weight: 120g

Accessories:

9V batteries and clamshell

LA-1014

2 in 1 LAN Tester & Multimeter



EMC
EN: 61326

Features
Insulated inductive probe tip prevents shorting conductors
Tests include wire trace, continuity test, clear/busy/ringing
Line test and tip/ring identification
Alligator clips for non-terminated cables and modular connectors for direct connections to telephone and internet wiring
Selectable continuous or variable tone generation
Built-in speaker on probe with sensitivity control
RJ45 and RJ11 modular connectors

Specifications

Function	Max Range	Basic Accuracy
Voltage DC	600V	±0.5%
Voltage AC	600V	±1.2%
Current DC	200mA	±1.5%
Current AC	200mA	±2.0%
Resistance	20MΩ	±0.8%
Continuity Test	Beeper if less than 100Ω	

Complete with Amplifier probe and Tone Generator with alligator clips and modular RJ11 phone and RJ45 digital connector cables, 9V battery and case
Tone Generator and Amplifier Probe Kit
Heavy duty kit with audible tone easily identifies wires or cables

Size(HxWxD): 162mm x 74.5mm x 44mm

Weight: 308g

Accessories:

Test leads, 9V batteries and gift box.



Model 1014

Features

Insulated inductive probe tip prevents shorting conductors
Tests include wire trace, continuity test, clear/busy/ringing line test and tip/ring identification
Alligator clips for non-terminated cables and modular connectors for direct connections to telephone and internet wiring
Selectable continuous or variable tone generation
Built-in speaker on probe with sensitivity control

Size(HxWxD): 231mm x 56mm x 27mm

Weight: 270g

Accessories:

9V battery and clamshell



EMC
EN: 61326



Model 1013

LA-1013 Amplifier Probe